PRESSURE SPRAYERS

PRESSURE SPRAYERS - WASHING





PRESSURE SPRAYERS - WASHING INDEX







Equipment suitable for the nebulisation of low density lubricating oils, detergents, sterilizers, and so on. When they are filled with liquid for 3/4 of their capacity and air is put inside at 6-8 bar they work automatically without any continuous link to compressed air.

For the washing of mechanical parts and items in general. The air-operated working at low pressure (max 0,5 bar) allows the washing with brush with continuous flux, or the washing of the items plunged in the liquid directly in the tank. The lid can be removed and so it is possible to work better.



STAINLESS STEEL PRESSURE SPRAYERS





050-1508-000



CONTINUATION OF THE PARTY OF TH

050-1510-000

050-1515-000

050-1511-000

Art. 050-1508-000

Stainless steel pressure sprayer AISI 304 16 I

Tank capacity 16 I with lever indicator

Equipped with:

Art.053-1537-000 10 m RILSAN spring hose

Art.053-1541-000 Spray gun with 600 mm stainless steel pipe

Manometer with stainless steel case



Art. 050-1510-000

Stainless steel pressure sprayer AISI 304 24 I


Tank capacity 24 I with lever indicator

Equipped with:

Art.053-1537-000 10 m RILSAN spring hose

Art.053-1541-000 Spray gun with 600 mm stainless steel pipe

Manometer with stainless steel case



Art. 050-1511-000

Stainless steel pressure sprayer AISI 316 24 I

Ideal for corrosive liquids and chemical products

Tank capacity 24 I with lever indicator

Equipped with:


Art.053-1537-000 10 m RILSAN spring hose

Art.053-1541-000 Spray gun with 600 mm stainless steel pipe

Manometer with stainless steel case

Stainless steel AISI 316 connections

Viton seals



Art. 050-1515-000

Stainless steel pressure sprayer AISI 304 50 I


Tank capacity 50 I with lever indicator

Equipped with:

Art.053-1537-000 10 m RILSAN spring hose

Art.053-1541-000 Spray gun with 600 mm stainless steel pipe

Manometer with stainless steel case



Equipment suitable for the nebulisation of low density lubricating oils, detergents, disinfectants, and so on. When they are filled with liquid for 3/4 of their capacity and air is put inside at 6-8 bar they work automatically without any continuous link to compressed air.

Warning: with stainless steel pressure sprayers can be used also corrosive liquids compatible with the materials using on the article.

ATTENTION! Do not use inflammable liquids.

PRESSURE SPRAYERS

POLISHED STEEL PRESSURE SPRAYERS



Art. 050-1520-000


Polished steel pressure sprayer 24 I


Tank capacity 24 I with lever indicator

Equipped with:

Art.053-1537-000 10 m RILSAN spring hose

Art.053-1541-000 Spray gun with 600 mm stainless steel pipe







050-1520-000

Art. 050-1525-000


Polished steel pressure sprayer 50 I


Tank capacity 50 I with lever indicator

Equipped with:

Art.053-1537-000 10 m RILSAN spring hose

Art.053-1541-000 Spray gun with 600 mm stainless steel pipe







050-1525-000

Art. 050-1530-000

Polished steel pressure sprayer 100 I


Tank capacity 100 | with lever indicator

Equipped with:

Art.053-1537-000 10 m RILSAN spring hose

Art.053-1542-000 Spray gun with 750 mm stainless steel pipe







Equipment suitable for the nebulisation of low density lubricating oils, detergents, disinfectants, and so on. When they are filled with liquid for 3/4 of their capacity and air is put inside at 6-8 bar they work automatically without any continuous link to compressed air.



STAINLESS STEEL PRESSURE SPRAYERS WITH FOAMING DEVICE



051-1512-000

Art. 051-1512-000

Stainless steel pressure sprayer AISI 304 24 I

With foaming device

Tank capacity 24 I with lever indicator


Equipped with:

Art.053-1538-000 8x13 8 m length pvc hose

Art.053-1541-000 Spray gun with 600 mm stainless steel pipe

Art.053-1554-000 Foaming coupler super

Manometer with stainless steel case





051-1513-000

Art. 051-1513-000

Stainless steel pressure sprayer AISI 316 24 I

With foaming device

Ideal for corrosive liquids and chemical products

Tank capacity 24 I with lever indicator

Equipped with:

Art.053-1538-000 8x13 8 m length pvc hose


Art.053-1541-000 Spray gun with 600 mm stainless steel pipe

Art.053-1554-000 Foaming coupler super

Manometer with stainless steel case

Stainless steel AISI 316 connections

Viton seals





051-1517-000

Art. 051-1517-000

Stainless steel pressure sprayer AISI 304 50 I

With foaming device

Tank capacity 50 I with lever indicator


Equipped with:

Art.053-1538-000 8x13 8 m length pvc hose

Art.053-1541-000 Spray gun with 600 mm stainless steel pipe

Art.053-1554-000 Foaming coupler super

Manometer with stainless steel case



Equipment suitable for the nebulisation of detergents with foaming device. When they are filled with liquid for 3/4 of their capacity and air is put inside at 6-8 bar they work automatically without any continuous link to compressed air.

Warning: with stainless steel pressure sprayers can be used also corrosive liquids compatible with the materials using on the article.

ATTENTION! Do not use inflammable liquids.

POLISHED STEEL PRESSURE SPRAYERS WITH FOAMING DEVICE



Art. 051-1522-000

Polished steel pressure sprayer 24 l

With foaming device


Tank capacity 24 I with lever indicator


Equipped with:

Art.053-1538-000 8x13 8 m length pvc hose

Art.053-1541-000 Spray gun with 600 mm stainless steel pipe

Art.053-1554-000 Foaming coupler super







051-1522-000

Art. 051-1527-000

Polished steel pressure sprayer 50 l

With foaming device


Tank capacity 50 I with lever indicator

Equipped with:

Art.053-1538-000 8x13 8 m length pvc hose

Art.053-1541-000 Spray gun with 600 mm stainless steel pipe

Art.053-1554-000 Foaming coupler super







051-1527-000

Art. 051-1532-000

Polished steel pressure sprayer 100 l

With foaming device


Tank capacity 100 I with lever indicator


Equipped with:

Art.053-1538-000 8x13 8 m length pvc hose

Art.053-1542-000 Spray gun with 750 mm stainless steel pipe

Art.053-1554-000 Foaming coupler super







Equipment suitable for the nebulisation of detergents with foaming device. When they are filled with liquid for 3/4 of their capacity and air is put inside at 6-8 bar they work automatically without any continuous link to compressed air.